


595 Noble metal open terminal head support casting thermocouple assembly




Overview

A high temperature Noble metal thermocouple assembly, the model 595's elements are provided to match the ITS 1990 curve. 24 gauge (0.020") wire is standard with other gauges available. Insulators and protection tubes with cemented hex nipple and are made of alumina, mullite or recrystallized silicon carbide. Cast iron or aluminum screw cover heads are standard, with a porcelain collar installed for vertical applications.

Technical specification

Feature	Description
Sensor type	High temperature Noble metal assembly
Tube length	6" to 48" in increments of 6"
Insulator material	Standard alumina (A), with option of mullite (M)
Optional inner tube	Standard 1/4" x 3/8" mullite (M), alumina (A) or no inner tube (O)
Primary tube	Standard 7/16" x 11/16" mullite (M) or alumina (A)
Secondary tube	Mullite (M), alumina (A), silicon carbide (SC) or none (O)
ANSI calibration	R, S, B
Accuracy	Standard limits of error, special limits of error (reference grade)
Number of circuits	1, 2
Head material	Open terminal, aluminum, G7 material
Accessory	Optional split brass flange



About Ultra Energy

Organizations working with nuclear and industrial technologies must deliver reliable production at the same time as safeguarding people, the environment and infrastructure. We develop and manufacture measurement and control solutions that give our customers complete, long-term control over systems operating in harsh environments, helping them operate safely and increasing the value derived from their investments over their total lifespan.

Part of Ultra Group, a global electronics company, Ultra Energy has worked with nuclear and industrial customers for over 60 years. We support customers across the world from facilities located in the US and UK. Our solutions are embedded in strategic national infrastructure and our people are active partners in customer programs that are focused on delivering advanced future nuclear and industrial capabilities.

United States of America

707 Jeffrey Way
Round Rock
Texas 78665-2408
USA

Tel: +1 512-434-2800

United Kingdom

Innovation House
Lancaster Road
Ferndown Industrial Estate
Wimborne
Dorset BH21 7SQ
UK

Tel: +44 (0) 1202 850 450

For more information

Web: ultra.energy
Email: sales@ultra.energy