






591 Noble metal open terminal head



Overview

High temperature Noble metal thermocouple assembly. Elements are provided to match the ITS 1990 curve. 24 gauge (0.020") wire is standard, with other gauges also available. Insulators and protection tubes with cemented hex nipple are made of alumina, mullite, recrystallized silicon carbide and silicon carbide. Cast iron or aluminum screw cover heads are standard. Porcelain collar installed for vertical applications.










Technical specification

Feature	Description
Sensor type	High temperature Noble metal assembly
Tube length	6" to 96" in 6" increments
ANSI calibration	R, S and B
Accuracy	Standard limits of error, special limits of error (reference grade)
Insulator material	Standard alumina (A), with mullite (M) available as an option
Optional inner tube	Standard 1/4" x 3/8"; with options of mullite (M), alumina (A) or no inner tube (O)
Primary tube	Standard is 7/16" x 11/16" in mullite (M), alumina (A)
Secondary tube	Mullite (M) or alumina (A) with 1" NPT coupling or none (O)
Number of circuits	1, 2
Head material	Open terminal, aluminum, G7 material
Accessory	Optional split brass flange











About Ultra Energy

Organizations working with nuclear and industrial technologies must deliver reliable production at the same time as safeguarding people, the environment and infrastructure. We develop and manufacture measurement and control solutions that give our customers complete, long-term control over systems operating in harsh environments, helping them operate safely and increasing the value derived from their investments over their total lifespan.

Part of Curtiss-Wright, Ultra Energy has worked with nuclear and industrial customers for over 60 years. We support customers across the world from facilities located in the US and UK. Our solutions are embedded in strategic national infrastructure and our people are active partners in customer programs that are focused on delivering advanced future nuclear and industrial capabilities.

United States of America

707 Jeffrey Way Round Rock Texas 78665-2408 USA

Tel: +1 512-434-2800

United Kingdom

Innovation House Lancaster Road Ferndown Industrial Estate Wimborne Dorset BH21 7SQ UK

Tel: +44 (0) 1202 850 450

For more information

Web: <u>ultra.energy</u>

Email: sales@ultra.energy

